

Report No.: LCS190917059AR

Date: 2019.10.24

Page 1 of 17

Applicant	Shenzhen Sonoff Technologies Co., Ltd.	
Address	Building 8, Room 1001, Lianhua industrial park, Longyuan Road, Hualia community, Longhua St, Longhua dist, Shenzhen, Guangdong, China.	n
Report on the subr	ed samples said to be:	
Sample Name	NEXTION HMI TOUCH SCREEN	
Trade Mark	NEXTION	
Client's information	N/A	

Style No. : NX4832T035, NX4024T032, NX3224T028, NX3224T024

Testing Period : September 23, 2019 ~ October 24, 2019

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs,	
PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit as set of	Pass
RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	

#### Signed for and on behalf of LCS



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917059AR

Date: 2019.10.24

Page 2 of 17

**Results:** 

### A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

66				Re	sults			Date of sample submission/resu
Seq. No.	Tested Part(s)	Cd	Pb	Hg	Cr▼	0	Br <sup>♥</sup>	
-		Cu	FU	пу	G	PBBs	PBDEs	bmission
1	White plastic frame	BL	BL	BL	BL	BL	BL	2019-09-23
2	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
3	Black plastic sheet	BL	BL	BL	BL	BL	BL 🔇	2019-09-23
4	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
5	Silver glass	BL	BL	BL	BL	BL	BL	2019-09-23
6	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
7	Silver metal sheet	BL	BL	BL	Х			2019-09-23
8	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
9	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
10	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
11	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
12	Yellow line	BL	BL	BL	BL	BL	BL	2019-09-23
13	White LED lamp	BL	BL	BL	BL	BL	BL	2019-09-23
14	Yellow plastic sheet	BL	BL	BL	BL	X	х	2019-09-23
15	Silver metal needle	BL	BL	BL	BL		1	2019-09-23
16	Silver metal sheet	BL	BL	BL	Х	/	/	2019-09-23
17	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
18	Silver metal needle	BL	BL	BL	BL	/	1	2019-09-23
19	Silver metal spring	BL	BL	BL	x	/	/ (	2019-09-23
20	White label paper	BL	BL	BL	BL	BL	BL	2019-09-23
21	Brown capacitor	BL	BL	BL	BL	BL	BL	2019-09-23
22	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
23	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
24	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
25	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
26	Black triode	BL	BL	BL	BL	BL	BL	2019-09-23

\*\*\*\*\*\*\*\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Ì

## **TEST REPORT**

Report No.: LCS190917059AR

Date: 2019.10.24

Page 3 of 17

<b>S</b>				Re	sults			Date of sample submission/resu bmission
Seq. No.	Tested Part(s)	Cd	Pb	Hg	Cr▼		Br▼	
				_		PBBs	PBDEs	
27	Silver foam	BL	BL	BL	BL	BL	BL	2019-09-23
28	Black foam sheet	BL	BL	BL	BL	BL	BL	2019-09-23
29	PCB board	BL	BL	BL	BL	BL	BL	2019-09-23
30	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
31	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
32	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
33	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
34	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
35	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
36	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
37	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
38	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
39	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
40	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
41	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
42	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
43	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
44	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
45	Silver metal sheet	BL	BL	BL	BL	/	/	2019-09-23
46	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
47	Silver metal needle	BL	BL	BL	BL	/	1	2019-09-23
48	Silver metal needle	BL	BL	BL	BL	/	/	2019-09-23
49	Black plastic sheet	BL	BL	BL	BL	Х	Х	2019-09-23
50	PCB board	BL	BL	BL	BL	Х	Х	2019-09-23
51	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
52	Yellow plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
53	Black plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
54	Red plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
55	Blue plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
56	Silver wire	BL	BL	BL	BL	/	/	2019-09-23
57	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23

\*\*\*\*\*\*\*



Report No.: LCS190917059AR

立讯检测股份

LCS Testing Lab 代码: 871117

Date: 2019.10.24

Page 4 of 17

Note:

盼

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	ma/ka	BL≤70-3σ<Χ	BL≤70-3σ<Χ	BL≤50-3σ<Χ
Ca	mg/kg	<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL
Pb	mallea	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
PD	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ	
Hg	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
Br	mg/kg	BL≤300-3σ<Χ	- 0	BL≤250-3σ<Χ

#### Note:

BL = Below Limit

OL = Over Limit

X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917059AR

立讯检测股份

LCS Testing Lab 代码: 871117

盼

Date: 2019.10.24

Page 5 of 17

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)			
Cadmium (Cd)	100			
Lead (Pb)	1000			
Mercury (Hg)	1000			
Hexavalent Chromium (Cr(VI))	1000			
Polybrominated biphenyls (PBBs)	1000			
Polybrominated diphenylethers (PBDEs)	1000			
Dibuyl Phthalate(DBP)	1000			
Benzylbutyl Phthalate(BBP)	1000			
Bis(2-ethylhexyl) Phthalate(DEHP)	1000			
Diispbutyl phthalate(DIBP)	1000			

**Disclaimers:** 

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

\*\*\*\*\*



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917059AR

Date: 2019.10.24

Page 6 of 17

# B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

#### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr<sup>6+</sup>) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

### PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

### 1) The test results of Hexavalent Chromium (Cr6+)(metal)

ltom	l lmit	MDI		Results		Limit
ltem	Unit	MDL	(7)	7) (16)	(19)	Limit
Hexavalent Chromium (Cr <sup>6+</sup> )	ug/cm <sup>2</sup>	0.10	N.D.	N.D.	N.D.	1000

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com

Report No.: LCS190917059AR

立讯检测股份

LCS Testing Lab 代码: 871117

Date: 2019.10.24

Page 7 of 17

Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 µg/cm<sup>2</sup>
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- \*The sample is negative for Cr(VI)-The Cr(VI) concentration is below 0.10ug/cm<sup>2</sup>
  The coating is considered a non-Cr(VI) based coating.
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm)

by weight.

- Flow chart appendix is included.
- Photo appendix is included.
- The data of point 45 to 57 in this report refer to the data of point 28 to 40 in report LCS190917060AR.

\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917059AR

Date: 2019.10.24

Page 8 of 17

### 2) The test results of DBP、BBP、DEHP & DIBP

ltere	11:0:4	MDI	Results	l insit
Item	Unit	MDL	4+5+6+13+21+22	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000

lion	l Init	MDL	Results	Limit	
Item	Unit	WIDE	23+24+25+26+29+30	Limit	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	

Item	l Init	MDL	Results	Limit
	Unit	WDL	31+35+36+42+41	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000

	l lm it	MDL	Results	
Item	Unit		46+49+50	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917059AR		Dat	e: 2019.10.24 P	Page 9 of 17	
		MDL	Results		
Item	Unit		51+57	– Limit	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	
		9			

Item	l Init	MDL		Limit			
	Unit		1	2	3	8	LIIIIL
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL		Limit			
			9	10	11	12	Linin
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL		Limit			
	Onit	WIDE	14	17	20	27	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	875	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917059AR

Date: 2019.10.24

Page 10 of 17

Item	Unit	MDL		Limit			
	Unit	WDL	28	32	33	34	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL		Limit			
	Unit		37	38	39	40	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL		Limit		
	Onit	WIDE	43	44	52	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	1000

Item	Unit	MDL		Limit			
	Onit	WIDL	53	54	55		
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	1000	

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Ś

Report No.: LCS190917059AR

Date: 2019.10.24

Page 11 of 17


#### 3) The test results of PBBs & PBDEs


Item	Unit	MDL		Results			
nem	Unit	WIDL	(14)	(49)	(50)	Limit	
Polybrominated Biphenyls (PBBs)							
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	~	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	$\gg$	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	(3	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	×	
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.		
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000	
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)							
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	63	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	8	
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.		
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000	

Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917059AR

Date: 2019.10.24




Page 14 of 17




Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



#### Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.





Report No.: LCS190917058AR

Date: 2019.10.24

Page 1 of 18

Applicant	: Shenzhen Sonoff Technologies Co., Ltd.
Address	Building 8, Room 1001, Lianhua industrial park, Longyuan Road, Hualian community, Longhua St, Longhua dist, Shenzhen, Guangdong, China.

Report on the submitted samples said to be:

Sample Name	:	NEXTION HMI TOUCH SCREEN
Trade Mark	:	NEXTION
Client's information	:	N/A
Style No.	:	NX8048T070, NX8048T050, NX4827T043
Testing Period	:	September 23, 2019 ~ October 24, 2019
Results	:	Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	Pass

Signed for and on behalf of LCS







Report No.: LCS190917058AR

Date: 2019.10.24

Page 2 of 18

**Results:** 

### A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

66				Re	sults			Date of sample
Seq. No.	Tested Part(s)	Cd	Pb	Hg	Cr▼		Br <sup>♥</sup>	submission/resu
-		Cu	FD	iig	0	PBBs	PBDEs	bmission
1	White label paper	BL	BL	BL	BL	BL	BL	2019-09-23
2	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
3	Silver metal sheet	BL	BL	BL	BL	BL	BL 🔇	2019-09-23
4	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
5	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
6	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
7	Black plastic film	BL	BL	BL	BL	BL	BL	2019-09-23
8	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
9	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
10	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
11	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
12	Yellow LED lamp	BL	BL	BL	BL	BL	BL	2019-09-23
13	PCB board	BL	BL	BL	BL	Х	Х	2019-09-23
14	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
15	Yellow line	BL	BL	BL	BL	BL	BL	2019-09-23
16	Silver metal sheet	BL	BL	BL	Х	BL	BL	2019-09-23
17	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
18	Silver metal needle	X	BL	BL	BL	BL	BL	2019-09-23
19	Silver metal spring	BL	BL	BL	BL	BL	BL	2019-09-23
20	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
21	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
22	Silver metal needle	OL	BL	BL	BL	BL	BL	2019-09-23
23	White plastic sheet	BL	BL	BL	BL	X	X	2019-09-23
24	Silver metal needle	BL	BL	BL	BL	BL	BL	2019-09-23
25	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917058AR

Date: 2019.10.24

Page 3 of 18

Seq.		Q		X	Date of sample			
Seq. No.	Tested Part(s)	Cd	Pb	Hg	Cr▼		Br▼	submission/resubmission
		PBBs PE	PBDEs					
26	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
27	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
28	Black IC	BL	BL	BL	BL	BL	BL	2019-09-23
29	Black Ceramic Slices	BL	BL	BL	BL	BL	BL	2019-09-23
30	PCB board	BL	BL	BL	BL	Х	Х	2019-09-23
31	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
32	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
33	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
34	Bright silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
35	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
36	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
37	Black glass sheet	BL	BL	BL	BL	BL	BL	2019-09-23
38	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
39	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
40	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
41	Black Diode	BL	BL	BL	BL	BL	BL	2019-09-23
42	Black resistance	BL	BL	BL	BL	BL	BL	2019-09-23
43	Silver metal sheet	BL	BL	BL	BL	/		2019-09-23
44	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
45	Silver metal needle	BL	BL	BL	BL	/	/	2019-09-23
46	Silver metal needle	BL	BL	BL	BL	/	1 (	2019-09-23
47	Black plastic sheet	BL	BL	BL	BL	Х	x	2019-09-23
48	PCB board	BL	BL	BL	BL	Х	Х	2019-09-23
49	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23
50	Yellow plastic thread	BL	BL	BL	BL	BL	BL	2019-09-23
51	Black plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
52	Red plastic thread	BL	BL	BL	BL	BL	BL	2019-09-23
53	Blue plastic linen	BL	BL	BL	BL	BL	BL	2019-09-23
54	Silver wire	BL	BL	BL	BL	/	1	2019-09-23
55	Black plastic sheet	BL	BL	BL	BL	BL	BL	2019-09-23

\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com

Ì

Report No.: LCS190917058AR

立讯检测股份

LCS Testing Lab 代码: 871117

Date: 2019.10.24

Page 4 of 18

Note:

盼

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material	
		BL≤70-3σ<Χ	BL≤70-3σ<Χ	BL≤50-3σ<Χ	
Cd	mg/kg	<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL	
Pb	mallea	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ	
PD	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL	
11~		BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ	
Hg	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL	
Cr	mg/kg	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ	
Br	mg/kg	BL≤300-3σ<Χ	- 6	BL≤250-3σ<Χ	
	1	1000			

#### Note:

- BL = Below Limit
- OL = Over Limit
- X = Inconclusive
- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

\*\*\*\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917058AR

立讯检测股份

LCS Testing Lab 代码: 871117

盼

Date: 2019.10.24

Page 5 of 18

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000
Dibuyl Phthalate(DBP)	1000
Benzylbutyl Phthalate(BBP)	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	1000
Diispbutyl phthalate(DIBP)	1000

**Disclaimers:** 

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

\*\*\*\*\*



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Report No.: LCS190917058AR

Date: 2019.10.24

Page 6 of 18

# B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

#### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr<sup>6+</sup>) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

### PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

### 1) The test results of Cadmium (Cd)

láo m	Unit	MDI	Re	sults	Limit	
Item	Unit	MDL	(18)	(22)	– Limit	
Cadmium Content (Cd)	mg/kg	2	N.D.	N.D.	100	

### 2) The test results of Hexavalent Chromium (Cr6+)(metal)

Item	Unit	MDL	Results	Limit	
nem	Onit	MIDE	(16)		
Hexavalent Chromium (Cr6+)	ug/cm <sup>2</sup>	0.10	N.D.	1000	



Report No.: LCS190917058AR

立讯检测股份

LCS Testing Lab 代码: 871117

Date: 2019.10.24

Page 7 of 18

Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 µg/cm<sup>2</sup>
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- \*The sample is negative for Cr(VI)-The Cr(VI) concentration is below 0.10ug/cm<sup>2</sup>
  The coating is considered a non-Cr(VI) based coating.
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm)

by weight.

- Flow chart appendix is included.
- Photo appendix is included.
- The data of point 43 to 55 in this report refer to the data of point 28 to 40 in report LCS190917060AR.

\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917058AR

Date: 2019.10.24

Page 8 of 18

### 3) The test results of DBP、BBP、DEHP & DIBP

lio	Unit MDL		Results	Limit	
Item	Unit	MDL	4+6+12+13+25+26	Limit	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	

	11	MDI	Results	Limit	
Item	Unit	MDL	27+28+29+42+30+31+37+41		
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	

kan A	l Init	MDL	Results	Limit	
Item	Unit MDL		44+47+48		
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	

· Co	l lm it	MDI	Results		
Item	Unit	MDL	49+55	Limit	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	1000	

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917058AR

Date: 2019.10.24

Page 9 of 18

	Unit ME						
Item		WDL	1	2	5	7	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

ltem	Unit M	MDL	Results				Limit
item		WDL	8	9	10	11	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

ltem	Unit	MDL	Results				Limit	
item			14	15	17	20	Limit	
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	

Item	Unit	MDL	Results				Limit	
			21	23	32	33		
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000	

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190917058AR

Date: 2019.10.24

Page 10 of 18

Item	Unit	MDL	Results				<i></i>
			50	51	52	53	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	N.D.	1000

Unit	MDL		Limit		
		34	35	36	Limit
mg/kg	100	N.D.	N.D.	N.D.	1000
mg/kg	100	N.D.	N.D.	N.D.	1000
mg/kg	100	N.D.	N.D.	N.D.	1000
mg/kg	100	N.D.	N.D.	N.D.	1000
	mg/kg mg/kg mg/kg	mg/kg      100        mg/kg      100        mg/kg      100        mg/kg      100	mg/kg      100      N.D.        mg/kg      100      N.D.        mg/kg      100      N.D.        mg/kg      100      N.D.	34      35        mg/kg      100      N.D.      N.D.        mg/kg      100      N.D.      N.D.        mg/kg      100      N.D.      N.D.        mg/kg      100      N.D.      N.D.	Unit      MDL      34      35      36        mg/kg      100      N.D.      N.D.      N.D.        mg/kg      100      N.D.      N.D.      N.D.        mg/kg      100      N.D.      N.D.      N.D.        mg/kg      100      N.D.      N.D.      N.D.

Item	Unit	MDL		Limit		
			38	39	40	Limit
Dibuyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	N.D.	1000













Ì

Report No.: LCS190917058AR


Date: 2019.10.24

Page 11 of 18

#### 4) The test results of PBBs & PBDEs

Item	Unit	MDL		Limit		
			(13)	(23)	(30)	Limit
Polybrominated Biphenyls (PBBs)						
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	2
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	2)
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	(3
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	X
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)						
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	$\mathcal{O}$
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	6
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	8
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	V)
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000

\*\*\*\*\*\*\*





Ś

## **TEST REPORT**

Report No.: LCS190917058AR

Date: 2019.10.24

Page 12 of 18

Item			Res	Y	
	Unit	MDL	(47)	(48)	Limit
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	S.
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	6
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	0
Total content	mg/kg	/	N.D.	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)					
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	63
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	0
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	1000

Remark:


- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.







Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Analyzed by GC-MS

\*\*\*\*\*\*

Data

Add: F&G, 23/F.,Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong,China

Make up with organic

solvent

Cool, cleanup solution

Concentrated extracted

solution



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com




Report No.: LCS190917058AR

Date: 2019.10.24

Page 15 of 18



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com




Report No.: LCS190917058AR

Date: 2019.10.24

Page 17 of 18



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



#### Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com